

EICHER TRUCKS AND BUSES



A true business partner



EICHER 10.80

SALIENT FEATURES

- Fuel efficient engine with optimised drive train.
- 110 mm wide brakes for longer life and double diaphragm master vac for lesser efforts.
- High Gradeability.
- Straddle mounted differential and larger crown wheel & pinion for higher load carrying capacity & longer life.
- Strong suspension with high load carrying capability.
- Automatic exhaust brake for extra safety & driver comfort.
- Available in cabin & chassis, Fixed side deck, drop side deck, high side deck and aluminium container van options.
- Plus the Eicher advantages of low maintenance cost & driving comfort.

The Eicher 10.80 has High load carrying capacity & its strong aggregates give it much longer life than any other vehicle in the class. Its is reputed for its higher fuel efficiency, low maintenance cost, high driving comfort & high resale value. And now with Improved cabin.



TECHNICAL SPECIFICATIONS

Model Code	EICHER 10.80		
Wheel Base (mm)	2815	3515	3765
Overall Length (CBC) (mm)	5355	5940	6600
FOH(mm)	1115	1115	1115
ROH(mm)	1425	1308	1723
Ground Clearance(mm)	210	210	210
Min. Turning Circle Clearance Dia (mts)	11.7	13.9	14.6
GVW (kgs)	8250		
Kerb Weight (kgs)	2215	2640	2640
Engine Model & Type	E-483-Diesel 4-Cylinder with turbocharger & intercooler		
Max. Power	85 KW at 3200 RPM		
Max. Torque	330 Nm @ 1600 RPM		
Bore X Stroke	100 X 105 (mm)		
Clutch	275mm dia, Single plate diaphragm type hydraulic assisted		
Transmission	5 forward & 1 reverse, forward all synchromesh, reverse constant mesh. Floor mounted gear shift control lever		
Frame	Ladder type design with modular frame		
Front Suspension	Semi-Elliptic Laminated leafs (with shock absorbers)		
Rear Suspension	Semi-Elliptic Laminated leafs (with shock absorbers)		
Battery	12V-70 Ah		
Alternator	12V-50A		
Starter	12V-2.0Kw		
Steering	Power steering, Recirculating ball -nut with integral Hydraulic booster		
	Tilttable & telescopic steering column		
Service Brake	Hydraulic With Vacuum assistance		
Parking Brake	Internal expanding type at rear of transmission		
Tyres			
Front	7.50 X 16x16 PR		
Rear	7.50 X 16x16 PR		
Fuel Tank	100 Litres		
Gradeability(in 1st Gear)	27%		

EXCITING NEW FEATURES IN 10.80

AESTHETIC



New Single Piece
full metallic bumper



New chrome plated
branding logos



Two point mirror
mounting



New upgraded
Dash board



All new Wiring harness
routing in the cabin

UTILITY



Provision for speakers
in cabin doors



Provision for stereo
in dash board



Multi point
mobile charger



Tool Box
on chassis*



Paper holder
in sun visor

*Not available in C wheelbase

SAFETY



New strong single Piece
full metallic bumper




Front wind Shield wipers
with Water spray nozzles



Reverse Buzzer



Battery Cover



STANDARD COLOUR



CARGO BODY OPTIONS



Cabin & Chassis



Drop Side Deck

INSIDE BODY DIMENSIONS

Model	Wheelbase	Length		Width		Height	
		mm	ft	mm	ft	mm	ft
C DSD	2815	3683	12	2031	6.67	587	1.93
E DSD	3515	4331	14	2031	6.67	587	1.93
F DSD	3765	4931	16	2031	6.67	587	1.93

CAUTION: • Do not weld or drill on chassis frame. • Accessories and features shown in picture or elsewhere may not constitute standard fitment. • As a result of continuous research and innovations carried out, specifications are merely indicative and are subject to change without notice.

EICHER TRUCKS AND BUSES

VE Commercial Vehicles Ltd.
102, Industrial Area No.1,
Pithampur - 454 775, Distt. Dhar (M.P.).
Tel: (07292) 402633. Fax: (07292) 402611.
www.eicher.in/etb
exports@eicher.in

VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

Authorised Dealer:

EICHER TRUCKS AND BUSES



**TOUGH..
RELIABLE....
ECONOMICAL...
Built for
AFRICA**



EICHER 10.70

SALIENT FEATURES

- Powerful engine ensures better acceleration & speed.
- Fuel efficient and environment friendly.
- Low turning radius for easy maneuverability.
- Power steering for effortless driving.
- Exhaust brake for extra road safety.
- Vacuum assisted hydraulic service brakes
- Straddle mounted differential & larger crown wheel pinion for better load carrying capacity and longer life.
- Heavy duty suspension.

The Eicher 10.70 has High load carrying capacity & its strong aggregates give it much longer life than any other vehicle in the class. Its is reputed for its higher fuel efficiency, low maintenance cost, high driving comfort & high resale value. Now with IMPROVED CABIN



TECHNICAL SPECIFICATIONS

Model Code	EICHER 10.70		
Wheel Base (mm)	2815	3515	3765
Overall Length (CBC) (mm)	5355	5940	6600
FOH(mm)	1115	1115	1115
ROH(mm)	1425	1308	1723
Ground Clearance(mm)	210	210	210
Min. Turning Circle Clearance Dia (mts)	11.7	13.9	14.6
GVW (kgs)	6750		
Kerb Weight (kgs)	2215	2640	2640
Gradeability(in 1st Gear)	27%		
Engine Model & Type	E-483-Diesel 4-Cylinder with turbocharger & intercooler		
Max. Power	85 KW at 3200 RPM		
Max. Torque	330 Nm @ 1600 RPM		
Bore X Stroke	100 X 105 (mm)		
Clutch	275mm dia, Single plate diaphragm type hydraulic assisted		
Transmission	5 forward & 1 reverse, forward all synchromesh, reverse constant mesh. Floor mounted gear shift control lever		
Frame	Ladder type design with modular frame		
Front Suspension	Semi-Elliptic Laminated leafs (with shock absorbers)		
Rear Suspension	Semi-Elliptic Laminated leafs (with shock absorbers)		
Battery	12V-70 Ah		
Alternator	12V-50A		
Starter	12V-2.0Kw		
Steering	Power steering, Recirculating ball -nut with integral Hydraulic booster		
	Tilttable & telescopic steering column		
Service Brake	Hydraulic With Vacuum assistance		
Parking Brake	Internal expanding type At rear of transmission		
Tyres			
Front	7.50 X 16x16 PR		
Rear	7.50 X 16x16 PR		
Fuel Tank	100 Litres		

EXCITING NEW FEATURES IN 10.70

AESTHETIC



New Single Piece
full metallic bumper




New chrome plated
branding logos



Two point mirror
mounting



New upgraded
Dash board



All new Wiring harness
routing in the cabin


UTILITY



Provision for speakers
in cabin doors



Provision for stereo
in dash board



Multi point
mobile charger



Tool Box
on chassis*



Paper holder
in sun visor

*Not available in C wheelbase

SAFETY



New strong single Piece
full metallic bumper



Front wind Shield wipers
with Water spray nozzles



Reverse Buzzer



Battery Cover



STANDARD COLOUR



CARGO BODY OPTIONS



Cabin & Chassis



Drop Side Deck

INSIDE BODY DIMENSIONS

Model	Wheelbase	Length		Width		Height	
		mm	ft	mm	ft	mm	ft
C DSD	2815	3683	12	2031	6.67	587	1.93
E DSD	3515	4313	14	2031	6.67	587	1.93
F DSD	3765	4931	16	2031	6.67	587	1.93

CAUTION: • Do not weld or drill on chassis frame. • Accessories and features shown in picture or elsewhere may not constitute standard fitment. • As a result of continuous research and innovations carried out, specifications are merely indicative and are subject to change without notice.

EICHER TRUCKS AND BUSES

VE Commercial Vehicles Ltd.
102, Industrial Area No.1,
Pithampur - 454 775, Distt. Dhar (M.P.).
Tel: (07292) 402633. Fax: (07292) 402611.
www.eicher.in/etb
exports@eicher.in

VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

Authorised Dealer: